

## Refine Search

### Search Results -

Terms	Documents
(response message and response med\$3 and (open\$3 or clos\$3)(phrase or text or sentence or word)).clm.	0

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L2

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Friday, June 24, 2005   [Printable Copy](#)   [Create Case](#)

Set  
Name   Query  
side by  
side

Hit  
Count   Set  
result set

DB=PGPB; PLUR=YES; OP=ADJ

L2   (response message and response med\$3 and (open\$3 or clos\$3)(phrase or text or sentence or word)).clm.

0   L2

DB=USPT; PLUR=YES; OP=ADJ

L1   (response message and response med\$3 and (open\$3 or clos\$3)(phrase or text or sentence or word)).clm.

0   L1

END OF SEARCH HISTORY

## Freeform Search

---

<b>Database:</b>	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

  

<b>Term:</b>	L15 and 12
--------------	------------

  

<b>Display:</b>	<input type="text" value="10"/> Documents in <b>Display Format:</b> <input type="text" value=""/> Starting with Number <input type="text" value="1"/>
-----------------	---

  

**Generate:** ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

---

Search

Clear

Interrupt

---

### Search History

---

**DATE:** Friday, June 24, 2005   [Printable Copy](#)   [Create Case](#)

**Set Name Query**

side by side

**Hit Count Set Name**

result set

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ*

<u>L18</u>	L15 and 12	40	<u>L18</u>
<u>L17</u>	115 and 14	207	<u>L17</u>
<u>L16</u>	L15 and 15	0	<u>L16</u>
<u>L15</u>	L14 or 113 or 112 or 111 or 110 or 19 or 18 or 17 or 16	21060	<u>L15</u>
<u>L14</u>	(379/106.02 )!	117	<u>L14</u>
<u>L13</u>	379/1.01	328	<u>L13</u>
<u>L12</u>	(340/500 )!	879	<u>L12</u>
<u>L11</u>	(709/224 )!	6958	<u>L11</u>
<u>L10</u>	(709/223 )!	6936	<u>L10</u>
<u>L9</u>	(709/200 )!	3423	<u>L9</u>
<u>L8</u>	(710/19 )!	542	<u>L8</u>
<u>L7</u>	(358/1.15 )!	3490	<u>L7</u>
<u>L6</u>	(358/1.9 )!	3144	<u>L6</u>
<u>L5</u>	L4 and 12	15	<u>L5</u>
<u>L4</u>	response near2 medi\$2	10437	<u>L4</u>
<u>L3</u>	response near2 medium	10038	<u>L3</u>

<u>L2</u>	L1 and (open\$3 or clos\$3) near2 (phrase or sentence or word)	732	<u>L2</u>
<u>L1</u>	(status or error or fault) same response	193625	<u>L1</u>

END OF SEARCH HISTORY


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

**Search Results**[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((status &lt;and&gt; response)&lt;in&gt;metadata)"

☒ e-mailYour search matched **240** of **1174497** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)

Modify Search

((status &lt;and&gt; response)&lt;in&gt;metadata)

[» Key](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

View: [1-25](#) | [26-5](#)

- |                          |   |
|--------------------------|---|
| <input type="checkbox"/> | <p><b>1. Application of the singular-value decomposition for the design of 2-D digital filter</b><br/> Lu, W.S.; Antoniou, A.;<br/> Communications, Computers and Signal Processing, 1991., IEEE Pacific Rim Conference<br/> 9-10 May 1991 Page(s):506 - 509 vol.2<br/> <a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF</a>(280 KB) IEEE CNF</p>  |
| <input type="checkbox"/> | <p><b>2. Mathematical simulation of the cardiovascular responses to lower body negative 40 mmHg</b><br/> Lin, C.A.; Gotshall, R.W.; Meroeny, R.N.;<br/> [Engineering in Medicine and Biology, 1999. 21st Annual Conf. and the 1999 Annual F<br/> Biomedical Engineering Soc.] BMES/EMBS Conference, 1999. Proceedings of the First<br/> Volume 1, 13-16 Oct. 1999 Page(s):252 vol.1<br/> <a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF</a>(100 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p><b>3. Strengthening the response/restoration linkage-lessons learned from recent oil s</b><br/> Helton, D.;<br/> OCEANS '99 MTS/IEEE. Riding the Crest into the 21st Century<br/> Volume 1, 13-16 Sept. 1999 Page(s):410 - 413 vol.1<br/> <a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF</a>(288 KB) IEEE CNF</p>   |
| <input type="checkbox"/> | <p><b>4. Biological effects of magnetic fields: laboratory studies</b><br/> Anderson, L.E.;<br/> Engineering in Medicine and Biology Society, 1998. Proceedings of the 20th Annual Int<br/> Conference of the IEEE<br/> Volume 6, 29 Oct.-1 Nov. 1998 Page(s):2791 - 2797 vol.6<br/> <a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF</a>(716 KB) IEEE CNF</p>   |
| <input type="checkbox"/> | <p><b>5. The status of demand response in New York</b><br/> Lawrence, D.J.; Neenan, B.F.;<br/> Power Engineering Society General Meeting, 2003, IEEE<br/> Volume 4, 13-17 July 2003 Page(s):<br/> <a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF</a>(410 KB) IEEE CNF</p>  |
| <input type="checkbox"/> | <p><b>6. Dielectric spectroscopy for diagnosis of water tree deterioration in XLPE cables</b><br/> Werelius, P.; Tharning, P.; Eriksson, R.; Holmgren, B.; Gafvert, U.;<br/> Dielectrics and Electrical Insulation, IEEE Transactions on [see also Electrical Insulation<br/> Transactions on]</p>  |